



SPEAKER UPGRADE

BM 1402 CM4

BM 1402 CU4





Operating and Installation Instructions

INTRODUCTION

Proper system planning is vital in order to maximize the device's performance and road safety. Plan your installation carefully to avoid compromising performance reliability of the system. Consult an authorized Blaupunkt delaler for installation or reparation. Read the manual carefullt before operating the device for the first time.

Safety Notes

Ensure to folow below safety notes during installation and wiring connection: -

- · Disconnect the negative terminal of the battery. Refer to the safety notes of the vehcle manufacturer.
- · Ensure positions of the holes are nowhere near the vehicle component to avoid any damage during drilling.
- Ensure cross section of the cable is no less than 2.5mm² if the positive and negative cables are too lona.
- · Incorrect installation may result in malfunction of the device or the car sound system.

Installation and Connection Instructions

- · Select a dry and well-ventilated location to install the device
- · The device must not be installed in overly exposed location such on therear shelf, rear seat etc.
- The installation location must be suitable for screw holes and have stable ground support.

Disclaimer


In no event shall Blaupunkt be liable for any direct, indirect, punitive, incidental, special consequential damages to property or life and whatsoever arising out of or connected with the use or misuse of our products.

USA & CANADA: This product is not intended for sale in the United States and Canada. If purchased in the U.S. or Canada, this product is purchased on as-is basis. No warranty, whether expressed or implied is provided in the U.S. or Canada.

Voltage Supply

- · Use the supplied power extension cable to connect to the positive battery terminal.
- · Firmly and carefully connect the ground lead to a bare metal point on the vehicle chassis.
- · The control of the device should be a two-channel control, either via the preamplifier output of the car sound system.
- · A control solely via the right or left channel is also possible since the low-frequency portion of the music is generally identical on both channels.

Recycling and Disposal



Use the return and collection systems available to dispose of the old device.


This manual may be updated from time to time without any notice.


SPECIFICATION


BM 1420 CM4

Pair of 4" BMW direct fit plug & play subwoofer to upgrade OE speaker installed for selected BMW models with paper cone material including installation instruction.

- Normal output power (RMS) : 30W
- Max. output power : 60W
- Sensitivity: 86dB
- Impedance : 4ohms
- Frequency response : 80Hz 20,000Hz
- Surround : Rubber
- Magnet type : Neodymium magnet
- Mounting depth : 39mm
- · Diameter hole : 129.5mm
- Overall height : 55mm









Mid-range

BM 1420 CU4

Pair of 4" BMW direct fit plug & play subwoofer to upgrade OE speaker installed for selected BMW models with paper cone material including installation instruction.

- Normal output power (RMS) : 30W
- Max. output power : 60W
- Sensitivity: 86dB
- Impedance : 4ohms
- Frequency response : 80Hz 20,000Hz
- · Surround : Rubber
- · Magnet type : Neodymium magnet
- Mounting depth : 44.5mm
- Diameter hole : 114.3mm
- Overall height: 55mm





Mid-range

Tweeter

INSTALLATION

Mid-range speakers



Carefully remove the trim piece with the help of door trim removal to prevent damage



Lift up the trim piece before slowly slide outward to release the trim from the door panel as seen in photograph



Remove the door handle



Note that the door panel is fixed by numerous plastic clips, carefully pull the door away and disconnect all wiring doorlatch cables. Be very careful to avoid the damage of the plastic clips during door panel removal



Remove front door card



Remove all 3 screws that hold the mid-range speaker

INSTALLATION



Side by side comparison of OE speaker and Blaupunkt speaker



Install Blaupunkt speaker using the original screws

INSTALLATION

Tweeter



Carefully remove original tweeter housing. (Wind down window for easy installation)



Replace the tweeter and insert the foam to the triangle housing. (Door triangle housing has speaker grill and holder for tweeter which is not included in the Blaupunkt speaker)



Finally, reconnect the wirings and door latch cables, ressemble the removed parts back on to the door and tighten the door panel's screw firmly

COMPATIBILITY LIST

BM 1402 CM4/ BM 1402 CU4 can be installed in the following list of car models :

BM 1402 CM4

Series	Model	Model Year	Mounting Position	Series
1 series	E81(3-door)	2004-2013	Front door	5 series
	E82 (Coupé)	2004-2013	Front door	
	E87 (5-door)	2004-2013	Front door	6 series
	E88 (Cabriolet)	2004-2013	Front door/ Rear side panel	
3 series	E90 (Limousine)	2005-2013	Front door	
	E91 (Touring)	2005-2013	Front door/ Rear door	
	E92 (Coupé)	2005-2013	Front door/ Rear side panel	X1
	E93 (Cabriolet)	2005-2013	Front door/ Rear side panel	

Model	Model Year	Mounting Position
F10 (Limousine)	2010-2014	Front door/ Rear door
F11 (Touring)	2010-2014	Front door/ Rear door
E63 (Coupé)	2002-2007	Front door/ Rear side pane
E64 (Cabriolet)	2002-2007	Front door/ Rear side pane
F12 (Coupé)	from 2011	Rear side panel
F13 (Cabriolet)	from 2011	Rear side panel
E84 (SUV)	from 2009	Front door
	F10 (Limousine) F11 (Touring) E63 (Coupé) E64 (Cabriolet) F12 (Coupé) F13 (Cabriolet)	F10 (Limousine) 2010-2014 F11 (Touring) 2010-2014 E63 (Coupé) 2002-2007 E64 (Cabriolet) 2002-2007 F12 (Coupé) from 2011 F13 (Cabriolet) from 2011

BM 1402 CU4

F13 (Cabriolet)

from 2011

				_			
Series	Model	Model Year	Mounting Position	Series	Model	Model Year	Mounting Positio
1 series	E81(3-door)	2004-2013	Rear door	7 series	E65 (Limousine)	2001-2008	Front door/ Cente
	E82 (Coupé)	2004-2013	Rear door		E66 (Limousine L)	2001-2008	Front door/ Cente
	E87 (5-door)	2004-2013	Rear door		F01 (Limousine)	from 2008	Front door/ Rear do
	F20 (5-door)	from 2011	Rear deck				Rear deck
	F21 (3-door)	from 2011	Rear deck		F02 (Limousine L)	from 2008	Front door/ Rear do
2 series	F22 (Coupé)	from 11/2013	Rear deck				Rear deck
	F87 (M2)	2015-2023	Rear deck		G11 (Limousine)	2016-2023	Rear deck
3 series	E90 (Limousine)	2005-2013	Rear deck		G12 (Limousine L)	2016-2023	Rear deck
	F34 (Gran Turismo)	2013-2020	Rear deck	X1	E84 (SUV)	from 2009	Rear deck
	F80 (M2)	2014-2020	Rear deck	X3	E83 (SUV)	2003-2010	Front door/ Rear do
4 series	F32 (Coupé)	from 10/2013	Rear deck		F25 (SUV)	from 2010	Rear roof
	F33 (Cabriolet)	from 10/2013	Rear deck	X5	E70 (SUV)	2006-2013	Front door/ Rear de
	F36 (Gran Coupé)	from 2014	Rear deck		F15 (SUV)	from 2013	Rear roof
	F82 (M4)	2014-2020	Rear deck	X5M	F85 (SUV)	2014-Now	Rear roof
5 series	E60 (Limousine)	2003-2009	Front door/ Center/	X6	E71 (SUV)	2008-2014	Front door/ Rear de
			Rear deck		F16 (SUV)	2014	Rear roof
	E61 (Touring)	2003-2009	Front door/ Center/	Z4	E89 (Roadster)	from 2009	Front door/ Rear de
			Rear roof	i8	I15 (Roadster)	2016	Rear side panel
	F07 (Gran Turismo)	2010-2014	Front door/ Center/	Mini	R60 (Countryman)	2010-2017	Front door/ Rear de
			Rear roof		R61 (Paceman)	2013-2020	Front door/ Rear de
	F11 (Touring)	2010-2014	Rear roof				
	G31 (Touring)	2017	Rear roof				
6 series	F06 (Gran Coupé)	from 2011	Rear deck				

Rear deck



BM 1402 CM4 1 111 17 007 02 01

Designed and engineered by Blaupunkt Competence Centre

BM 1402 CU4 1 111 17 008 02 01